



MYSQL

Table of Content

- MySQL Tutorial
- Audience
- RDBMS Terminology
- MySQL Database:
- Installation
- Execute simple SQL commands using MySQL
- PHP Syntax
- Connection
- MySQL Connection using PHP Script:
- Create Database
- Create Database using PHP Script:
- Drop Database
- Drop Database using PHP Script:
- Select Database
- Selecting MySQL Database from Command
- Selecting MySQL Database Using PHP Script
- Data Types
- Numeric Data Types
- Date and Time Types
- String Types
- Create Tables
- Creating Tables from Command Prompt
- Creating Tables Using PHP Script
- Insert Query
- Inserting Data from Command Prompt
- Inserting Data Using PHP Script
- Select Query
- Fetching Data from Command Prompt
- Fetching Data Using PHP Script
- Releasing Memory
- Where Clause
- Fetching Data from Command Prompt:
- Fetching Data Using PHP Script:
- Update Query
- Updating Data from Command Prompt:
- Updating Data Using PHP Script:
- Delete Query
- Deleting Data from Command Prompt:
- Deleting Data Using PHP Script:
- Like Clause
- Using LIKE clause at Command Prompt:
- Using LIKE clause inside PHP Script:
- Sorting Results
- Using ORDER BY clause at Command Prompt:
- Using ORDER BY clause inside PHP Script:
- Using Join
- Using Joins at Command Prompt:
- Using Joins in PHP Script:
- MySQL LEFT JOIN:
- NULL Value
- Using NULL values at Command Prompt:
- Handling NULL Values in PHP Script:
- Transactions
- Properties of Transactions:
- COMMIT and ROLLBACK:
- Alter Command
- Dropping, Adding or Repositioning
- Changing a Column Definition or Name:
- Changing a Column's Default Value:
- Changing a Table Type:
- Renaming a Table:
- Indexes
- Simple and Unique Index:
- ALTER command to add and drop INDEX:
- ALTER Command to add and drop PRIMARY KEY:
- Displaying INDEX Information:
- Temporary Tables
- Dropping Temporary Tables:
- Clone Tables
- Database Info
- Obtaining the Number of Rows Affected by a Query:
- PERL Example:
- PHP Example:
- Listing Tables and Databases:
- Using Sequences
- Using AUTO_INCREMENT column:



- Obtain AUTO_INCREMENT Values:
- DAYOFWEEK(date)
- DAYOFYEAR(date)
- EXTRACT(unit FROM date)
- FROM_DAYS(N)
- FROM_UNIXTIME(unix_timestamp)
- FROM_UNIXTIME(unix_timestamp,format)
- HOUR(time)
- LAST_DAY(date)
- LOCALTIME and LOCALTIME()
- LOCALTIMESTAMP and LOCALTIMESTAMP()
- MAKEDATE(year,dayofyear)
- MAKETIME(hour,minute,second)
- MICROSECOND(expr)
- MINUTE(time)
- MONTH(date)
- MONTHNAME(date)
- NOW()
- PERIOD_ADD(P,N)
- PERIOD_DIFF(P1,P2)
- QUARTER(date)
- SECOND(time)
- SEC_TO_TIME(seconds)
- STR_TO_DATE(str,format)
- SUBDATE(date,INTERVAL expr unit) and
- SUBDATE(expr,days)
- SUBTIME(expr1,expr2)
- SYSDATE()
- TIME(expr)
- TIMEDIFF(expr1,expr2)
- TIMESTAMP(expr), TIMESTAMP(expr1,expr2)
- TIMESTAMPDIFF(unit,datetime_expr1,datetime_expr2)
- TIME_FORMAT(time,format)
- TIME_TO_SEC(time)
- TO_DAYS(date)
- UNIX_TIMESTAMP(), UNIX_TIMESTAMP(date)
- UTC_DATE, UTC_DATE()
- UTC_TIME, UTC_TIME()
- UTC_TIMESTAMP, UTC_TIMESTAMP()
- WEEK(date[,mode])
- WEEKDAY(date)
- WEEKOFYEAR(date)
- YEAR(date)
- YEARWEEK(date), YEARWEEK(date,mode)
- ACOS(X)
- ASIN(X)
- ATAN(X)
- ATAN2(Y,X)
- BIT_AND(expression)
- BIT_COUNT(numeric_value)
- BIT_OR(expression)
- CEIL(X)
- CEILING(X) CONV(N,from_base,to_base)
- COS(X)
- COT(X)
- DEGREES(X)
- EXP(X)
- FLOOR(X)
- FORMAT(X,D)
- GREATEST(n1,n2,n3,.....)
- INTERVAL(N,N1,N2,N3,.....)
- INTERVAL(N,N1,N2,N3,.....)
- LEAST(N1,N2,N3,N4,.....)
- LOG(X)
- LOG(B,X)
- LOG10(X)
- MOD(N,M)
- OCT(N)
- PI()
- POW(X,Y)
- POWER(X,Y)
- RADIANS(X)
- ROUND(X)
- SIN(X)
- SQRT(X)
- TRUNCATE(X,D)
- ASCII(str)
- BIT_LENGTH(str)
- CHAR_LENGTH(str)
- CHARACTER_LENGTH(str)
- CONCAT(str1,str2,...)
- INSERT(str,pos,len,newstr)
- LCASE(str)
- LEFT(str,len)
- LENGTH(str)



- LTRIM(str)
- POSITION(substr IN str)
- REPLACE(str,from_str,to_str)
- REVERSE(str)
- RTRIM(str)
- STRCMP(str1, str2)
- SUBSTRING(str,pos)
- UCASE(str)

